

12-GAUGE DRAG STABILIZED ROUND

PRODUCT SPECIFICATIONS		
Diameter	12-Gauge	
Length	2.50 in / 6.3 cm	
Projectile Count	1	
Velocity	270 fps / 82 mps	
Minimum Safe Range	20 ft / 6.1 m	
Maximum Effective Range	75 ft / 22.9 m	
PROJECTILE SPECIFICATIONS		
Material	Tear-shaped bag with tails filled with #9 shot	
Length	5.00 in / 12.7 cm	
Weight	1.43 oz / 40 g	
Part No.	3027	
Warranty	5 years from date of manufacture	
ALL SPECIFICATIONS ARE AVERAGES AND SUBJECT TO CHANGE		

ALL SPECIFICATIONS ARE AVERAGES AND SUBJECT TO CHANGE

The 12-Gauge Drag Stabilized™ Round is comprised of a translucent 12-Gauge shell loaded with a 40 gram, tear shaped bag made from a cotton and ballistic material blend and filled with #9 shot. This design utilizes four (4) stabilizing tails. The 12-Gauge Drag Stabilized™ Round utilizes smokeless powder as the propellant.

The 12-Gauge Drag Stabilized™ Round has secured its place as the Law Enforcement Communities' number one choice for Specialty Impact Munitions to be used as a dynamic, high energy, single target round for incapacitation or the distraction of a non-compliant, aggressive subject. It has been successfully used against a broad range of individuals from fleeing subjects to "suicide by cop" situations.

The 12-Gauge Drag Stabilized™ Round is intended to be direct fired. The operator should be adequately trained in the use of Less Lethal Impact Munitions and have a thorough understanding of the round and considerations for selecting shot placement such as level of threat, target distance, size, and clothing.

The 12-Gauge Drag Stabilized™ Round proves most successful in incapacitation when used within its effective range of approximately 20 to 50 feet. These ranges offer the necessary energy and accuracy to target the large muscle groups of the buttocks, thigh and even the knees of the subject. These areas provide sufficient pain stimulus and affect the mobility of the subject while significantly minimizing serious or life-threatening injuries.

Statistics show that subjects are rarely incapacitated after only one deployment. Most encounters require two to three shots placed on the subject. It is extremely critical to deploy an accurate round, such as the 12-Gauge DS, in order to place these multiple shots in areas were pain might be maximized, while serious injuries are minimized. It is the need for accuracy that led to the deployment of the drag stabilized design.

The 12-Gauge Drag Stabilized™ Round can also be deployed in crowd control situations to protect the riot line, cover or enhance chemical munitions, or target specific agitators and organizers of the crowd. When used in this fashion, it is primarily both a psychological deterrent and physiological distraction serving as a pain compliance device to either get the crowd (or subject) moving or keeping them at a designated distance.



CORRECTIONS, OR MILITARY PERSONNEL. THIS PRODUCT MAY CAUSE SERIOUS INJURY OR DEATH TO YOU OR OTHERS. THIS PRODUCT MAY CAUSE SERIOUS DAMAGE TO PROPERTY. HANDLE, STORE

1855 South Loop Casper, WY 82601 www.defense-technology.com 800.347.1200 Safariland, LLC Rev. 09/18





PRODUCT SPECIFICATIONS



MODEL No.	DESCRIPTION:	
2581	12GA Super-Sock® Bean Bag	
	Revision C 9/18	



NOT TO SCALE

WARNING: CSI manufactures a variety of CTS less lethal products which are under pressure, pyrotechnic, incendiary, emit projectiles, generate smoke, or are explosive in nature. When used in accordance with CTS training guidelines and the individual agency's policy, they are intended to cause varying degrees of pain and injury, which are temporary. These products are restricted to law enforcement, corrections, and military personnel and are used to gain compliance, disperse crowds, restore order, or temporarily incapacitate dangerous persons. In rare circumstances, if used incorrectly, CTS less-lethal products may cause damage to property, serious bodily injury or death. Therefore, any person using the force option depicted on this page should receive proper training to ensure the safest and most effective use.

PHYSICAL & OPERATIONAL Point Control Impact Munitions Туре Caliber 12 GA Cylinder Bore, 18" Barrel Minimum Weapon Compatibility Cartridge Length 2.40" (61 mm) Effective Range* 75' (25 M) Projectile Weight 40 gm Shot Filled Ballistic Fiber **Projectile Material** Overall Weight 51 gm Velocity 270-290 ft./sec 5 Years from Shipment Date Warranty

All specifications are average and are subject to change without notice. All performance specifications are based on testing conducted in Jamestown, PA USA, At an elevation of 1,058 feet above sea level at ambient temperature conditions.

SHIPPING INFORMATION		
Proper Shipping Name	Cartridges for Weapons Inert Projectile	
UN Number	0012	
Hazard Class	1.4 S	
Labels Required	Explosive 1.4S	
Quantity Per Package	5 Cartridges in Cardboard Box	
Total Package Weight	50 lb. (400 Cartridges)	
Package Type	Fiberboard Box	
Package Dimensions	17 x11 x 6	
Net Explosive Weight	.23 gm per unit	

*The Model 2581 Super-Sock® is in its deployed state immediately upon exiting the barrel. It does not require a minimum range to "unfold" or "stabilize." The Super-Sock® is an aerodynamic projectile. However, accuracy is relative to the shotgun, barrel length, environmental conditions, and the operator. The Super-Sock® is very accurate. However, effectiveness depends on many variable, such as distance, clothing, stature, and the point where the projectile impacts.

CAUTION: Shots to the head, neck, thorax, heart, or spine can result in fatal or serious injury.







CTS is a Division of Combined Systems, Inc. 388 Kinsman Rd. Jamestown, PA 16134 USA TEL (724) 932-2177 FAX (724) 932-2166 EMAIL <u>Sales@combinedsystems.com</u> www.combinedsystems.com